

计算
计算
小超市

二月份



练习 1

1 口算

$20.3 + 0.9 =$

$3 \times 5.2 =$

$17.2 - 7.5 =$

$2 \times 18.7 =$

$10 \times 7.8 =$

$13 \times 0.6 =$

2 竖式

$4.8 \times 1.9 =$

$7.1 \times 11.8 =$

$2.2 \times 16.1 =$

$3.9 \times 19 =$

3 脱式

$12 \times (20.62 - 19.94)$

$0.9 \times 20.2 + 0.73$

4 方程

$11x - 9 = 2x + 180$

$7(6x - 7) = 8x + 53$

练习 2

1 口算

$17.3 + 7.46 =$

$18.2 \times 3 =$

$8.79 - 0.19 =$

$8.8 \times 5 =$

$4.7 \times 20 =$

$0.6 \times 11 =$

2 竖式

$1.1 \times 17.5 =$

$17.8 \times 0.8 =$

$10.9 \times 1.9 =$

$13.6 \times 2.3 =$

3 脱式

$2.4 \times 18.4 - 8.13$

$0.5 \times (14.2 \times 5.9)$

4 方程

$2x + 8 - 3 = 10$

$312 - 79x = 66x - 123$

练习 3

1 口算

$8.73 - 4.68 =$

$18 \times 0.8 =$

$7.4 + 14.98 =$

$7 \times 5.6 =$

$3 \times 19.3 =$

$0.4 \times 8.5 =$

2 竖式

$2.9 \times 10.7 =$

$12.7 \times 3.9 =$

$6.6 \times 7.2 =$

$8.5 \times 10.1 =$

3 脱式

$5 \times (20.64 - 9.48)$

$2.9 \times 10.8 - 4.88$

4 方程

$8x + 5 = 4x + 45$

$15(3x - 6) + 65 = 290$

练习 4

1 口算

$18.89 - 6.14 =$

$0.3 \times 9.4 =$

$2.86 + 0.07 =$

$15.3 \times 2 =$

$8 \times 10.6 =$

$0.05 \times 7.1 =$

2 竖式

$0.54 \times 13.1 =$

$0.17 \times 7.9 =$

$18.1 \times 0.67 =$

$1.59 \times 7.6 =$

3 脱式

$(3.94 + 5.31) \times 9.2$

$5.9 \times (0.6 \times 11.5)$

4 方程

$1.7 + x = 4.1 - 2x$

$1.3 + 5(2x + 3) = 43.8$

练习 5

1 口算

$13.67 + 15.11 =$

$18 \times 0.2 =$

$13.83 - 7.12 =$

$7 \times 3.2 =$

$4 \times 1.92 =$

$5 \times 5.01 =$

2 竖式

$0.4 \times 7.88 =$

$3.2 \times 15.7 =$

$2.9 \times 3.88 =$

$6.1 \times 5.01 =$

3 脱式

$7.87 \div 0.2 - 1.03 \div 0.2$

$14.75 \div 0.3 - 2.51 \div 0.3$

4 方程

$3x - 3.2 - x = 10$

$1.5x - 11 \times 2 = 27.5$

练习 6

1 口算

$9.71 + 7.09 =$

$6.3 \times 0.05 =$

$15.9 - 11.26 =$

$10.1 \times 8 =$

$11.5 \times 2 =$

$0.29 \times 40 =$

2 竖式

$5.5 \times 0.68 =$

$5.1 \times 5.94 =$

$1.9 \times 7.69 =$

$8.8 \times 0.57 =$

3 脱式

$88.06 \times 4.52 + 4.52 \times 11.94$

$19.15 \times 85.67 - 12.15 \times 85.67$

4 方程

$2x - 0.6 + 4x = 8.4$

$64 - 5(x - 1.2) = 34$

练习 7

1 口算

$10.86 - 5.15 =$

$3 \times 1.11 =$

$0.14 + 9.38 =$

$9 \times 9.3 =$

$200 \times 3.1 =$

$8 \times 2.5 =$

2 竖式

$53 \times 0.47 =$

$1.6 \times 17.7 =$

$0.14 \times 8.4 =$

$3.9 \times 7.62 =$

3 脱式

$1.08 \times 1.74 + 1.08 \times 48.26$

$0.64 \times 1.25 \times 1.25$

4 方程

$1.1x + 3 = 1.6x - 4$

$1.2 \times 3 + 6x = 24$

练习 8

1 口算

$19.67 - 9.19 =$

$8 \times 5.2 =$

$3.1 + 20.91 =$

$0.03 \times 16.3 =$

$3 \times 6.8 =$

$0.17 \times 0.7 =$

2 竖式

$4.8 \times 8.03 =$

$1.2 \times 19.1 =$

$6.9 \times 6.43 =$

$18.5 \times 2.7 =$

3 脱式

$9.2 \times 2.21 + 1.2 \times 2.21 - 2.21 \times 0.4$

$8.7 + (4.5 - 1.3 + 0.9) \times (6.3 - 2.5) - 2.59$

4 方程

$7x + 20 = 74 - 2x$

$9 + 2(3x + 3) = 19.2$

1 口算

$5.67 + 1.82 =$

$0.6 \times 13 =$

$13.22 - 11.1 =$

$5.3 \times 0.4 =$

$3.7 \times 300 =$

$5.6 \times 0.02 =$

2 竖式

$5.33 \times 4.3 =$

$8.6 \times 9.73 =$

$0.78 \times 12.4 =$

$1.4 \times 20.3 =$

3 脱式

$(505 - 49 \times 35 \div 5) \div 8 + 0.75$

$2.01 + (30.6 + 25.8) \div 3 \times 1.3$

4 方程

$8x + 5 = 27$

$2(x - 2) = 50 - 3x$

练习 10

1 口算

$4.66 + 11.26 =$

$4.5 \times 20 =$

$20.61 - 13.53 =$

$0.3 \times 19 =$

$2.1 \times 7 =$

$0.8 \times 1.25 =$

2 竖式

$20.1 \times 3.5 =$

$0.36 \times 6.5 =$

$2.5 \times 3.14 =$

$9.2 \times 6.6 =$

3 脱式

$(25 - 10.5 \div 21) \times 0.3 + 45.9$

$609 - (4.5 \times 18 - 47.6) \times 15$

4 方程

$3x + 5(3 - x) = 10x$

$3(x - 2) + 4x = 78$

1 口算

$0.7 \times 4.2 =$

$5 \times 1.23 =$

$1.5 \div 0.3 =$

$37 \div 0.37 =$

$35 \div 0.7 =$

$18 \div 0.18 =$

2 竖式

$29.7 \div 9.9 =$

$21.7 \div 6.2 =$

$45.5 \div 6.5 =$

$15.4 \div 0.8 =$

3 脱式

$200 \div (36.7 - 81.9 \div 7) \times 125$

$37.5 \times 8 \div 0.25 \div 4 \times 11$

4 方程

$4 \times 0.3x - 12 = 24$

$2(10 - 2x) = 14$

练习 12

1 口算

$3.5 \times 4 =$

$32.4 \div 2 =$

$60.4 \times 4 =$

$14.4 \div 8 =$

$30.4 \div 10 =$

$0.98 \div 4.9 =$

2 竖式

$34.1 \div 6.2 =$

$26.4 \div 6.6 =$

$36 \div 0.64 =$

$49 \div 0.56 =$

3 脱式

$469 - (32 \times 15.5 \div 8 + 8) \times 5.5$

$13 \times (4.1 + 35.1 \div 9) \div 0.5 - 144$

4 方程

$23 + 5x = 77 + x$

$2(6x - 2) - 2x = 3.6$

1 口算

$4 \times 0.81 =$

$12.26 \div 2 =$

$11 \times 0.5 =$

$9.4 \div 0.47 =$

$5.3 \div 5 =$

$0.75 \div 1.5 =$

2 竖式

$35.1 \div 3.9 =$

$2.34 \div 0.16 =$

$0.24 \div 2.5 =$

$5 \div 0.16 =$

3 脱式

$55.5 - (5.3 + 6.69) \div 11 \div 10.9$

$(28.3 - 7.9) \div (1.5 \times 4) + 9.9$

4 方程

$4(x - 2) - 1.2 = 8.8$

$19 - 2x = 87 - 10x$

练习 14

1 口算

$6 \times 12.3 =$

$0.3 \div 15 =$

$0.6 \times 9.5 =$

$14.4 \div 8 =$

$3.6 \div 12 =$

$16.5 \div 11 =$

2 竖式

$18 \div 4.8 =$

$3.5 \div 0.25 =$

$15.54 \div 4.2 =$

$12.24 \div 0.9 =$

3 脱式

$0.2 \times (82 - 66) \times (25.5 - 18) \div 0.5$

$(50.5 - 4.9 \times 35 \div 5) \div 2 + 0.75$

4 方程

$29 + 1.5x - 4 = 43$

$6 \times (9.5 - 3.25) + 5x = 50$

1 口算

$0.4 \times 7.2 =$

$2.5 \div 50 =$

$2.7 \times 0.2 =$

$4.8 \div 0.03 =$

$2.1 \div 2 =$

$30.6 \div 0.6 =$

2 竖式

$9 \div 0.24 =$

$36 \div 9.6 =$

$1.775 \div 7.1 =$

$21.08 \div 34 =$

3 脱式

$71.5 - 40 + 25 - (21.5 - 17.5)$

$0.9 + 9.9 + 99.9 + 999.9 + 199.9$

4 方程

$17x - 4.5 - 2x = 1.5$

$5 \times (9 - 4x) + 2x = 9$

练习 16

1 口算

$20 \times 3.6 =$

$36.3 \div 11 =$

$6.3 \times 8 =$

$25.5 \div 5 =$

$25.2 \div 10 =$

$24.12 \div 12 =$

2 竖式

$26.23 \div 4.3 =$

$39 \div 5.2 =$

$2.03 \div 29 =$

$20.93 \div 0.23 =$

3 脱式

$66.6 \div (33.3 - 99 \div 30) \times 5$

$[(79 - 15) \times 33] \div 11 + 79$

4 方程

$1.3x - 24 = 41$

$7x + 16.5 = 24 + 5x$

1 口算

$4 \times 8.5 =$

$6.6 \div 33 =$

$9 \times 7.3 =$

$28.4 \div 0.4 =$

$4.9 \div 7 =$

$7.61 \div 0.01 =$

2 竖式

$34.1 \div 6.2 =$

$11 \div 0.88 =$

$10.07 \div 19 =$

$56.4 \div 0.12 =$

3 脱式

$46.5 + 103 - (77 - 52) \times 3.3$

$[52 + (77 \times 4 - 160) \div 4] + 9 \times 3.1$

4 方程

$4(x + 7) - 5 = 53$

$2.5(x + 4) = 32.5$

练习 18

1 口算

$3 \times 20.1 =$

$49.3 \div 10 =$

$17 \times 0.4 =$

$0.7 \div 35 =$

$5.2 \div 4 =$

$42.6 \div 3 =$

2 竖式

$4.16 \div 0.64 =$

$30.94 \div 9.1 =$

$33.08 \div 8 =$

$72.9 \div 0.27 =$

3 脱式

$4.1 \times 38 + 4.9 \times 41 + 87 \times 5.9$

$(12.5 + 84 \div 1.6 \times 3) \div 100 + 4.3$

4 方程

$16x - 7x = 108$

$5(x + 3) - 7.7 = 14.2$

1 口算

$5 \times 2.4 =$

$15.5 \div 31 =$

$3 \times 6.9 =$

$8.4 \div 8 =$

$3.4 \div 17 =$

$35.04 \div 2 =$

2 竖式

$42.7 \div 14 =$

$11.4 \div 38 =$

$40.5 \div 5.4 =$

$49 \div 0.56 =$

3 脱式

$0.7 \times 1.1 \times 13 \div 0.4 \div 25$

$(630 \div 35 + 20) \times (16 - 7.9)$

4 方程

$15 - 3x = 4x + 1$

$9x - 6.7 = 9.9 - x$

练习 20

1 口算

$7 \times 11.6 =$

$9.3 \div 0.01 =$

$6 \times 5.4 =$

$8.2 \div 20 =$

$5.4 \div 0.06 =$

$5.6 \div 8 =$

2 竖式

$17.63 \div 8.6 =$

$6.9 \div 46 =$

$36.1 \div 9.5 =$

$2.666 \div 6.2 =$

3 脱式

$225.8 + 37.9 - 5 + 44.6 - 17.9$

$0.8 \times 7.3 + 0.8 \times 1.1 - 0.8 \times 4.4$

4 方程

$30 - 2x - 18x = 11$

$3x + 0.9 = 4.8 - 1.5$

1 口算

$5.5 \div 11 =$

$36.32 + 48.3 =$

$33.2 \times 3 =$

$20 \times 2.49 =$

$39.67 - 12 =$

$28.8 \div 12 =$

2 竖式

$0.41 \times 6.9 =$

$88 \times 0.35 =$

$36 \div 2.5 =$

$110.2 \div 2.9 =$

3 脱式

$8 \times (30 - 16) \times (49.5 - 45) \div 2$

$[(103.8 - 70) \times 15] \div 3 + 40.36$

4 方程

$x + 4(x - 5) = 15$

$x - 7.2 = 3.6 - 0.8x$

练习 22

1 口算

$3.8 \div 2 =$

$4.6 \times 0.03 =$

$3 \times 9.1 =$

$20 - 0.95 =$

$18.36 + 4.9 =$

$9.6 \div 40 =$

2 竖式

$4.3 \times 3.02 =$

$12.1 \times 0.33 =$

$56.82 \div 6 =$

$10.54 \div 1.7 =$

3 脱式

$135 - (24 \times 7.2 \div 6 + 6.2) \times 3.3$

$7.9 \times [500 \div (9 + 17.5 \div 5)] + 6$

4 方程

$1 + 2(3 - x) = x + 7$

$2(x + 3) = 3(x + 1)$

1 口算

$13.4 - 2.36 =$

$3 \times 18.5 =$

$5.71 + 14.6 =$

$0.3 \div 30 =$

$6 \times 2.7 =$

$2.4 \div 0.06 =$

2 竖式

$0.54 \times 1.9 =$

$68 \times 5.1 =$

$19.63 \div 1.3 =$

$72 \div 1.6 =$

3 脱式

$7.5 + 189 - (9.8 - 6.5) \times 4.5$

$0.125 \times 32 \times 0.25 \times 33$

4 方程

$12 - (3x - 4) = x$

$15x + (30 - 6x) = 39$

练习 24

1 口算

$9 \times 5.3 =$

$32.4 \div 8 =$

$5 \times 17.2 =$

$3.75 + 13.25 =$

$15.9 \div 3 =$

$4.81 - 1.9 =$

2 竖式

$1.39 \times 2.1 =$

$4.5 \times 120 =$

$23.8 \div 0.28 =$

$12.78 \div 0.9 =$

3 脱式

$146 + (13.5 - 9.9) \div 2 - 4.3$

$3.6 \times 31.4 + 31.4 \times 6.4 + 12.5 \times 6.4$

4 方程

$15 - 3(x - 3) = 3x$

$2 + 3(x - 26) = 92 - x$

1 口算

$1.88 - 0.65 =$

$4.5 \times 8 =$

$9.12 + 16.78 =$

$8.4 \div 3 =$

$14.1 \times 0.5 =$

$30.6 \div 3 =$

2 竖式

$3.15 \times 21 =$

$4.8 \times 2.25 =$

$27.84 \div 8.7 =$

$2.982 \div 35.5 =$

3 脱式

$578.47 - 4.62 - 78.47 - 3.38$

$(91.4 + 6.6) \div [9.5 - (15 \div 25 + 1.9)]$

4 方程

$18 - (3x - 6) = x$

$4(x + 1) - 3(x - 1) = 2x + 3$

练习 26

1 口算

$5.49 - 3.39 =$

$0.07 \times 130 =$

$36.8 + 2.5 =$

$3.84 \div 1.2 =$

$4 \times 1.25 =$

$17.6 \div 20 =$

2 竖式

$71 \times 5.8 =$

$30.6 \times 6.1 =$

$44.52 \div 106 =$

$2210 \div 6.5 =$

3 脱式

$7.37 \times 12.5 \times 0.15 \times 16$

$5 \times (81 \div 0.9 + 33 \div 1.1) - 75 \div 5$

4 方程

$3x - 2(2 + x) = 1$

$13 - 2(2x - 3) = 5 - (x - 2)$

1 口算

$11.7 + 87.6 =$

$9.3 \div 310 =$

$9.64 - 1.5 =$

$55.15 \div 5 =$

$1.5 \times 15 =$

$6 \times 10.3 =$

2 竖式

$370 \times 3.6 =$

$51.7 \times 17 =$

$174.8 \div 23 =$

$280.8 \div 3.6 =$

3 脱式

$55.3 + 29.7 + 44.7 - 0.7$

$[1.04 \div (2.9 - 2.1) + 5] \times 6 + 11$

4 方程

$6x - (4 - x) = 17$

$7x - (3x + 2) = 22$

练习 28

1 口算

$6.18 + 2.58 =$

$116 \times 0.6 =$

$681 - 99.7 =$

$1.69 \div 1.3 =$

$3.1 \times 9 =$

$8.5 \div 17 =$

2 竖式

$71 \times 3.15 =$

$5.1 \times 103 =$

$436.8 \div 7.8 =$

$20.9 \div 5.5 =$

3 脱式

$(70 + 40 \div 0.5 \times 66) \div 50 + 33.7$

$17 \times [528 \div (22 + 5.5 \div 0.5)]$

4 方程

$5x + 5 = 9(x - 3)$

$2(4x - 6) = x + 16$

1 口算

$7.8 + 2.52 =$

$0.12 \times 7 =$

$80.9 - 19.3 =$

$7.5 \div 0.15 =$

$12.5 \times 80 =$

$7.1 \div 0.71 =$

2 竖式

$45 \times 4.3 =$

$39 \times 40.3 =$

$464.1 \div 0.91 =$

$63.6 \div 53 =$

3 脱式

$113.3 + 77 - (64 - 22) \times 1.5$

$48 + (4.1 \times 2.2 - 5.02) \div 12.5$

4 方程

$(18 + 7)x - 69 = 13x + 87$

$66 + (3x - x) = 228 - x$

练习 30

1 口算

$12.2 + 13.8 =$

$33.6 \times 5 =$

$97.6 - 49 =$

$1.68 \div 21 =$

$30 \times 4.1 =$

$275 \div 2.5 =$

2 竖式

$432 \times 15 =$

$23.5 \times 7.4 =$

$313.5 \div 95 =$

$325 \div 6.5 =$

3 脱式

$9.9 \times 9.9 + 1.99$

$35.6 + [6.43 + (19 \times 21 - 279) \div 40]$

4 方程

$(99 + 2)x - 195 = 51x + 305$

$27 + (9x - 7x) = 307 - 2x$

二月份答案

练习 1:

21.2	9.7	78
15.6	37.4	7.8
9.12	83.78	
35.42	74.1	
8.16	18.91	
21	3	

练习 5:

28.78	6.71	7.68
3.6	22.4	25.05
3.152	50.24	
11.252	30.561	
34.2	40.8	
6.6	33	

练习 2:

24.76	8.6	94
54.6	44	6.6
19.25	14.24	
20.71	31.28	
36.03	41.89	
2.5	3	

练习 6:

16.8	4.64	23
0.315	80.8	11.6
3.74	30.294	
14.611	5.016	
452	599.69	
1.5	7.2	

练习 3:

4.05	22.38	57.9
14.4	39.2	3.4
31.03	49.53	
47.52	85.85	
55.8	26.44	
10	7	

练习 7:

5.71	9.52	620
3.33	83.7	20
24.91	28.32	
1.176	29.718	
54	1	
14	3.4	

练习 4:

12.75	2.93	84.8
2.82	30.6	0.355
7.074	1.343	
12.127	12.084	
85.1	40.71	
0.8	2.75	

练习 8:

10.48	24.01	20.4
41.6	0.489	0.119
38.544	22.92	
44.367	49.95	
22.1	21.69	
6	0.7	

练习 9:

7.49	2.12	1110
7.8	2.12	0.112
22.919	83.678	
9.672	28.42	
21	26.45	
2.75	10.8	

练习 13:

3.24	5.5	1.06
6.13	20	0.5
9	14.625	
0.096	31.25	
55.4	13.3	
4.5	8.5	

练习 10:

15.92	7.08	14.7
90	5.7	1
70.35	2.34	
7.85	60.72	
53.25	108	
1.25	12	

练习 14:

73.8	5.7	0.3
0.02	1.8	1.5
3.75	14	
3.7	13.6	
48	8.85	
12	2.5	

练习 11:

2.94	6.15	5
100	50	100
3	3.5	
7	19.25	
1000	3300	
30	1.5	

练习 15:

2.88	0.54	1.05
0.05	160	51
37.5	3.75	
0.25	0.62	
52.5	1310.5	
0.4	2	

练习 12:

14	241.6	3.04
16.2	1.8	0.2
5.5	4	
56.25	87.5	
84	64	
13.5	0.76	

练习 16:

72	50.4	2.52
3.3	5.1	2.01
6.1	7.5	
0.07	91	
11.1	271	
50	3.75	

练习 17:

34	65.7	0.7
0.2	71	761
5.5	12.5	
0.53	470	
67	116.9	
7.5	9	

练习 21:

0.5	99.6	27.67
84.62	49.8	2.4
2.829	30.8	
14.4	38	
252	209.36	
7	6	

练习 18:

60.3	6.8	1.3
4.93	0.02	14.2
6.5	3.4	
4.135	270	
870	6	
12	1.38	

练习 22:

1.9	27.3	23.26
0.138	19.05	0.24
12.986	3.993	
9.47	6.2	
19.5	322	
0	3	

练习 19:

12	20.7	0.2
0.5	1.05	17.52
3.05	0.3	
7.5	87.5	
1.001	307.8	
2	1.66	

练习 23:

11.04	20.31	16.2
55.5	0.01	40
1.026	346.8	
15.1	45	
181.65	33	
4	1	

练习 20:

81.2	32.4	90
930	0.41	0.7
2.05	0.15	
3.8	0.43	
285.4	3.2	
0.95	0.8	

练习 24:

47.7	86	5.3
4.05	17	2.91
2.919	540	
85	14.2	
143.5	394	
4	42	

练习 25:

1.23	25.9	7.05
36	2.8	10.2
66.15	10.8	
3.2	0.084	
492	14	
6	4	

练习 28:

8.76	581.3	27.9
69.6	1.3	0.5
223.65	525.3	
56	3.8	
140.7	272	
8	4	

练习 26:

2.1	39.3	5
9.1	3.2	0.88
411.8	186.66	
0.42	340	
221.1	585	
5	4	

练习 29:

10.32	61.6	1000
0.84	50	10
193.5	1571.7	
510	1.2	
127.3	48.32	
13	54	

练习 27:

99.3	8.14	22.5
0.03	11.03	61.8
1332	878.9	
7.6	78	
129	48.8	
3	6	

练习 30:

26	48.6	123
168	0.08	110
6480	173.9	
3.3	50	
100	45.03	
10	70	